

Tornos

Mazak

MAZAK 100IVST

Machine occasion

N° de stock : **CDB0086**



Tipo	100 IVST
Control numérico	MAZTROL MATRIX
Año	2006
Longitud máxima de torneado	735 mm
Diámetro máximo de la máquina	545 mm
Número de husillos	2
Velocidad del cabezal	35 à 6000 tr/min
Potencia del husillo	8.5 / 2.2 KW

Diámetro de paso	61 mm
Recorrido del carro	35 à 6000 mm
Número de estaciones de torreta	9
Velocidad máx. de las herramientas giratorias	15 à 12000 tr/min
Recorrido del eje Z	805 mm
Carrera W	795 mm
Carrera Y	140 mm
Ángulo	225°
Velocidad de desplazamiento en Y	26 mm/mn
Velocidad de desplazamiento en C	555 mm/mn
Velocidad de desplazamiento en W	30 mm/mn
Alimento X & Y	0-8000 mm/mn
Capacidad del tanque	290 liters
Dibujos acotados	3075x2330x2443 mm
Peso	7500 Kg

Nb of hours: (Auto operation 60478; Auto cut 52190)
 CE certificate

Accessories:

Loader: LNS Quick Load Servo 3, 2007

Vacuum oils mist system: Elbaron RON/A 100 D 2V

Marksa cooler system

Chip Conveyor

Tooling:

- Tool holder SK40 (collets ER25)
- Turret: 1 x boring bar tool holder
- Main spindle: 3 jaws hydraulic chuck
- Sub-spindle: pneumatic chuck 3 jaws
- Part measuring system RENISHAW
- Laser tool measuring system RENISHAW
- ETC...

